

Door Access Control System



ECO2300D





ECO2300D is a widely used Access Control in the office. Choosing a lot of stable original parts, strictly follow the national security product standard.

ECO2300D is suitable for the entrances and exits of office, factory ,hotel ,school ,etc. All input /output are using anti-jamming protection and over-voltage/circuit protection. The product experiences the strict degradation test before leaving factory, The greatest advantage of ECO2300D is easy to install, with multifunctional & elegant design and reasonable price





Application

-Access Control System

	SPECIFICATIONS
Model	ECO2300D
LCD Screen	2.4inch LDD Screen
Fingerprint Capacity	30,000
Transaction Capacity	100,000
Communication	RS232/485, TCP/IP, USB-host
Access Control Interface	3rd Party Electic Lock, Door Sensor, Exit Button, Alarm
Software	ECOTIMEPRINT Software
Software OS	XP/Win2003/Vista/Win7/Win8/Win10 (32bit / 64 bit)
Identification Time	<1S
Authentication Method	Fingerprint/ RFID Card / Password
Language	English
Wiegand Signal	Input, Output
Power	DC 12V/3A
Operating Environmenvt	0°C - 45°C, Humidity: 80%
Dimension (L×W×H)	158.5 x 78.0 x 19.4mm


Specifications are subject to change. Check www.ecotimeprint.com for latest product information.













facebook.com/ecotimeprint