

TIMEPRINT™
www.ecotimeprint.com

Built-in Battery to eliminate the trouble of power failure.

ECOTA500



ECO TA500



Fingerprint



Password



TCP/IP



USB



ECO Timeprint Software



ECO TA500 is a 2.8 inch TFT Color Screen Standalone fingerprint Time and Attendance System with Built-in Battery which can eliminate the trouble of power failure. TCP/IP and USB Host make data management extremely easy. It could store 8,000 fingerprint templates and 80,000 transaction records. High speed and reliable fingerprint matching, it can match 1,000 fingerprint templates within 2 seconds. With the elegant appearance and reliable quality, you can get the best from it.

Terminal Overview



ECOTA500 attendance machine that is launched to reduce management costs effectively, provide convenience for employees. Users can download attendance reports for review and statistics. Other type can only do some simple operations such as add and manage user, upload or download user data or attendance data etc.



User

This menu item include **Add user** and **User Mgt.**, which allows you to add, browse, and manage user nformation, including the employee ID, name, fingerprint, password, and rights.



Comm.

This menu item allows you connect this device with PC to access attendance data, you need set IP Address, Subnetmask, Gatway, DHCP and the communication password first.



System

This menu item allows you to set system-related parameters, including the basic parameters, Date/Time, Communication option, Timing State Switching Setting, SMS Setting and so on, to enable the terminal to meet user requirements to the greatest extent in terms of functions and display.



Dn/Upload

This menu item allows you to download attendance data and user data, or upload user data.



Data Mgt.

This menu item allows you to upload or download user data or attendance data, delete attendance data and all user data, and revoke management rights. Through a USB disk, export user information and attendance data from this device to related software or other fingerprint recognition devices.



Record

This menu item allows you to easily query the attendance records saved on the device.



Sys.info.


This menu item allows you to check the storage status as well as version information of the device.

Configuration:



SPECIFICATIONS	
Model	ECO TA500
Communication	TCP/IP, USB Flash Drive
Fingerprint templates	2,000
Records Capacity	80,000
Software	ECOTIMEPRINT Attendance System
Microprocessor	1GHz/1000MHz or higher
Memory	128MB flash memory & SDRAM 32MB
Authentication Method	Fingerprint/ Password / RFID Card (Optional)
Language	English
Bell	Built-in Timing Bell
Operation Mode	Off-line/ Online
Power	DC 12V/1.5A
Authentication Mode	1:1, 1:N
Operating Environment	0°C - 45°C, Humidity: 20% - 80%
Dimension (L×W×H)	184×136×37.6mm

Note: Specifications are subject to change. Check www.ecotimeprint.com for latest product information.



TIMEPRINT
www.ecotimeprint.com



ecosales@ecotimeprint.com



facebook.com/ecotimeprint

