

ECO SF60

Visible Light Facial Recognition Technology



VISIT NOW



www.ecotimeprint.com



ECO SF60



Face



Password



Fingerprint



RFID Card
(Optional)



USB
Flash Disk



TCP/IP



Verify with
Mask On

POWER BY



ECOTIMEPRINT
ETA2



ECO SF60 come with the latest algorithm and Visible Light facial recognition technologies, the device can recognize a target in the distance from 30cm to 50cm. It will automatically operate when it detects a human face in the detection distance to deliver better recognition quality in terms of speed and accuracy than the previous near-infrared facial recognition terminals.

Terminal Overview




SPECIFICATIONS

Model	ECO SF60
Screen	2.8 inch Color Screen
Communication	TCP/IP, USB Flash Disk
User Template	500 (Fingerprints), 500 (Face), 500 (ID Card)
Records Capacity	50,000
Memory	128MB & SDRAM 32MB
Algorithm version	10.0
Authentication Method	Face/ Fingerprint/ Password/ RFID Card
Identification Time	<1S
Authentication Mode	1:1, 1:N
Door Access Function	Yes (Simple Door Access)
Power	DC5V/2A
Operating Environment	0°C - 45°C, Humidity: 20% - 80%
Dimension(L*W*H)	151.5*168.0*31.7mm

Note: Specifications are subject to change





TIMEPRINT

www.ecotimeprint.com